

stereophile

ONLINE AUTHORITY:
WWW.STEREOPHILE.COM

ELECTRONICALLY REPRINTED FROM DECEMBER 2017

EQUIPMENT REPORT

JASON VICTOR SERINUS

dCS Network Bridge

NETWORK PLAYER

John Atkinson asked me to review the dCS Network Bridge (\$4250), which was designed to be paired not just with the dCS Vivaldi DAC (\$35,999) running the current v.2.02 software, but with any DAC. This meant I was forced to endure several months with the state-of-the-art Vivaldi as a replacement for my reference dCS Rossini (\$23,999). Oh, how I suffered.

Michael Fremer, in his January 2014 review of dCS's four-piece Vivaldi system (\$114,996),¹ of which the Vivaldi DAC is part, called it "the best non-digital-sounding digital system I've heard." John Atkinson, in his measurements for that review, credited the system with "the best digital playback I have experienced."

I determined a review strategy. My main focus would be the Network Bridge, with the sound of the Vivaldi DAC's v.2.02 software upgrade a major corollary. First, I'd listen to the Network Bridge as one of four links in a dCS chain of the Vivaldi DAC running its original v.1.2 software, the Scarlatti clock, and the Paganini SACD/CD transport. Once I'd fully grokked the Vivaldi v.1.20 sound, I'd update to Vivaldi v.2.02 and listen again.

Network Bridge

The dCS Network Bridge is a one-box network player that can serve



Computer playback paled next to the Network Bridge.

as a bridge between your source of digital music and your DAC. Inside its housing of machined, aerospace-grade aluminum are hardware and software capable of playing high-resolution music files from a NAS, USB drive or stick, or Ethernet-connected drive. It can also stream content from

Tidal, Spotify, and other streaming services.

The Network Bridge's front panel is solid, save for a small blue LED that indicates when the unit is powered up. On the rear panel are two AES/EBU outputs (compatible with dCS DACs) and three S/PDIF outputs (one on an RCA); Ethernet, AirPlay, and USB 2.0 (data) inputs; two BNC SDIF outputs; and a third BNC word-clock output. Its built-in antenna is designed for app control and eventual WiFi use; the latter remained inactivated during the review period.

¹ See www.stereophile.com/content/dcs-vivaldi-digital-playback-system.

SPECIFICATIONS

Description Network player/Roon endpoint. Inputs: Ethernet, Apple AirPlay, USB 2.0 (data), 2 word clock (BNC). Outputs: 2 AES/EBU on (3-pin XLR), for PCM output up to 24-bit/384kHz or DSD128 in DoP when used as dual AES; S/PDIF (coax RCA), for PCM output up to 24/192 or DSD64 in DoP;

SDIF-2 (BNC), for PCM output up to 24/96 or SDIF-2 DSD64; word-clock (BNC), for PCM data up to 96kHz.

Dimensions 14.2" (360mm) W by 2.65" (67mm) H by 9.65" (245mm) D. Weight: 10.2 lbs (4.6kg).

Finishes Silver, Black

Serial number of unit reviewed 0052911

Price \$4250. Approximate number of dealers: 18.

Warranty: 3 years, parts & labor, to original owner.

Manufacturer Data Conversion Systems, Ltd., Unit 1, Buckingham Business Park, Anderson Road,

Swavesey, Cambridge CB24 4AE, England, UK.

Tel: (44) (0)1954-233950. US distributor:

Data Conversion Systems Americas, Inc., PO Box 541443, Waltham, MA 02454-1443.

Tel: (617) 314-9296.

Web: www.dcsLtd.co.uk.

The Network Bridge can play PCM files up to 24-bit/384kHz, all major lossless codecs, plus DSD64 and DSD128 in native or DoP formats. While the Bridge's auto-clocking system is compatible with clock settings within the Vivaldi, Rossini, and other DACs, it can also be used with an external clock fitted with BNC outputs. Multistage power regulation isolates the Bridge's digital and clock circuitry from AC irregularities.

As long as a DAC has at least one AES/EBU or S/PDIF input, dCS claims it will benefit from the Network Bridge. This includes DACs limited to 96 or 192kHz, or that can play DSD only when downsampled to 96 or 192kHz PCM. No matter if a DAC with only one AES or S/PDIF input allows sample rates above 192kHz and DSD64—linearity considerations have led dCS to limit the ability to pass those higher rates to their traditional Dual-AES connection.

Very much a 2017 product—notably, the Network Bridge is Roon-ready—the product's FPGA platform is accessed by a remote, iOS-only phone/pad app. The app permits full control of what dCS claims are the Bridge's bit-perfect wired and wireless streaming capabilities, as well as its input, output, and clock settings. Direct connection to Tidal and Spotify is supported.

The Network Bridge software is easily updated via the Internet using the app's control section. By the time you read this, software to enable serial-data mode for RS-232 control of other dCS products, including the Vivaldi DAC, should be available. Ditto a USB audio output that will allow connection to USB DACs.

While the Network Bridge is equipped with WiFi, WiFi connectivity is limited to 24/96 because dCS feels that wireless transmission compromises performance, and those compromises increase with the sampling rate. dCS recommends hardwiring the Network Bridge via Ethernet.

Given its multiple functions, the Network Bridge is really a local and streaming music file renderer that can locate, process (*ie*, convert FLAC and other compressed formats to uncompressed WAV), and present to any DAC music files from a variety of sources, local or Web-based. The Bridge also enables the Vivaldi (which has only a USB input) and older, discontinued dCS DACs to play files and stream music in all resolutions and formats the DAC allows.

The Vivaldi DAC has only a single USB and no Ethernet input was an intentional design choice. As dCS Americas' General Manager, John Quick, explained by phone:

Because the Vivaldi system is our reference statement system, we don't want excessive processing or overactive power supplies to generate noise inside the box. There are advantages to having the network board, with its dedicated power supply and dedicated FPGA processor, running our code in a separate chassis that is pretty inert. This is why the Vivaldi system's upsampling, disc playback, and advanced clocking take place in separate boxes.

We decided to put a USB input on the Vivaldi DAC for someone who wasn't going to buy the whole system, because that was the least compromised input we could offer that would allow access to file playback. Regardless, prior to the release of the Network Bridge, whose dual-AES connection addresses these issues, we would tell customers that if you have a Vivaldi Upsampler, that's where you want your USB and network plugged in.

The Bridge is a great option for someone who wants to bring network connectivity to a Vivaldi DAC but doesn't want to spend \$22,000 on a Vivaldi Upsampler. Everything the Rossini can do, the Vivaldi DAC can do with the help of the Bridge.



Although MQA processing for dCS products was still in the testing phase during the review period, the first MQA unfolding is expected for the Network Bridge by the time you read this. Ditto for MQA unfolding and rendering for the Rossini DAC and Player. Unless a major ecological catastrophe hits the UK, the Vivaldi DAC's v.2.02 software should be upgraded for MQA rendering by the end of 2017, and the Vivaldi Upsampler will handle MQA's first unfolding. Expect a Follow-Up assessing dCS's implementation of MQA.

The Network Bridge app resembles the Rossini DAC app, with settings that accommodate earlier dCS DACs and DACs from other companies. It also has portals for playlists, UPnP, USB, Spotify, and Tidal.

For much of my listening, I plugged into the Network Bridge one of three USB 3.0 sticks loaded with hi-rez files, or one of two external hard drives, and controlled playback with the Bridge app. Occasionally I connected a Roon-equipped Intel NUC computer to the Bridge via Ethernet, and used the Roon app for playback. Into the NUC were loaded the contents of the three USB sticks and one of the external HDs. This setup let me compare the features and sound of multiple sources and playback platforms.

Vivaldi v.2.02

dCS claims that the Vivaldi system's v.2.02 software upgrade brings multiple audible improvements to the DAC's sound. For one, it enables DSD128 file playback. It also adds a new DSD filter, designated F5, for which, in a press release, dCS claims "better impulse response than [dCS's] previous DSD filters, with virtually no ringing. High frequency noise has also been better suppressed outside the audio band to be more universally amplifier-friendly, and to present the amplifier with a cleaner signal."

In addition to new gain settings and new clocking architecture for the DAC, a new system for *mapping* the Ring DAC—*ie*, for determining precisely how the many discrete elements within the DAC core are switched on and off—is claimed to generate lower distortion. According to dCS, it "does an even better job avoiding hardware mismatches that manifest as errors correlated with the music signal, bringing superior linearity, even at low signal levels." You can choose among three Mappers, two of which are new. Hint: New Mapper 3 sounds a mite warmer, softer, more analog-like; new Mapper 1 offers sharper lines and more color contrast.

Putting it all together

I'm so glad that John Quick and his colleague Brad O'Toole delivered in person the Network Bridge, the Vivaldi DAC running software v.1.20, and the v.2.02 upgrade disc—setup required repositioning equipment and running three BNC cables from the Scarlatti clock to the Network Bridge, Vivaldi DAC, and Paganini transport. There were dual AES and analog output cables to hook up, new settings to choose from, and an app to download and master. As I had only one pair of AES cables for the DAC, I switched them between the Bridge and Paganini, as needed.

On the bottom shelf of my four-tiered rack sat most of the power products listed in "Associated Equipment." Both the Nordost QX4 and Isotek EVO3 Sigmas power conditioners were active, because I've found them to be complementary in reducing noise and thus revealing more low-level detail. Ditto for the Synergistic Research Tranquility Bases under the Grand Prix amp stands. To further minimize system noise, I switched on my Roon-enabled NUC only when I used it. Ethernet cables led from NUC to router and from router to Network Bridge.

On the shelves above were the Network Bridge stacked atop the Paganini, the Scarlatti clock sitting on a 1.5"-thick Grand Prix Formula

platform, and, on the top shelf, the Vivaldi DAC sitting on another Formula platform. On stands flanking this rack sat a pair of Pass Laboratories XA200.8 monoblocks.

To those tempted to cry foul at my stacking of Bridge atop Paganini transport, or at the absence of any analog source: If this 5' 4.5" Serinus had a single rack tall enough to hold everything, he'd need a stool to reach the top shelf. Nor are two side-by-side multi-shelf racks acceptable—squeezing them and two amp stands between my speakers would make it nearly impossible for me to get to the cables. We do what we must do.

Network Bridge with Vivaldi v.1.20

Minutes after the Network Bridge and Vivaldi DAC v.1.2 were connected via dual-AES, I inserted a USB 3.0 stick in the Bridge. Using the Bridge app, I played a recording of works by J.S. Bach transcribed for the trio of mandolinist Chris Thile, cellist Yo-Yo Ma, and double bassist Edgar Meyer (24/96 WAV, Nonesuch 558933/HDtracks).² Although the equipment was not fully warmed up and the cables hadn't settled in, instrumental textures were far more palpable than before.

Thile's fingering was more cleanly articulated than through the Rossini. I could easily differentiate between the leading edges of plucked or bowed strings and the resonant bodies of their instruments. The cello's timbre was so rich and beautiful that I recalled the sound of my friend Elaine Kreston's cello as she sat beside me during a rehearsal. Bass pitches were perfectly articulated—the cleanest I'd heard from these files—and images were palpably larger. Because the instruments felt more real, the music's impact deepened.

After everything settled in, I used the Bridge app to play the first movement of Lou Harrison's Concerto for Violin with Percussion Orchestra, with soloist Tim Fain and Angel Gil-Ordóñez conducting the Post-Classical Ensemble (24/48 WAV, Naxos 8.559825/HDtracks).³ The Bridge-Vivaldi combo painted the solo violin and percussion with far more believable body and substance than I'd heard before, at home or at audio shows. Textures of drums, gongs, and chimes were far more realistic and transparent, with copious air around percussion. I was astounded by the percussion's lifelike visceral impact.

My impressions remained consistent, regardless of source material. "Electrified II," from Yello's *Tōy* (24/48 WAV, Polydor 4782160/HDtracks), sounded larger and more all-enveloping. In soprano Elisabeth Schwarzkopf's recording of Richard Strauss's lied "Mutertändelei" with George Szell conducting (24/96 WAV, Warner/HDTracks 509990873182), I could hear the subtlest changes in the quality of her voice as she traversed the scales, as well as tiny splices in the original analog tape. Beyond the added detail, I found myself lost in the beauty of her voice. Moving on to DSD64—the Vivaldi v.1.2 wasn't equipped to handle DSD128—I noted the huge orchestral expanse of Iván Fischer and the Budapest Festival Orchestra's recording of Mahler's Symphony 5 (DSD64, Channel Classics 34213/NativeDSD).

It was only when I switched AES/EBU cables from the Network Bridge to the Paganini transport and began playing discs that I realized: as detailed and lifelike as the sound was, files through the Vivaldi v.1.2 had a bit of dryness that I didn't hear from files played through the Rossini DAC. That I'd never heard this dryness at audio shows confirmed that it's only in my own, ultrafamiliar system, carefully assembled and tuned in my purpose-designed music room, that I can clearly hear such differences.

On a good old-fashioned CD of the early 21st century, the sound of the piano on Murray Perahia's disc of works by Handel and Scarlatti (CD, Sony Classical 62785) was delicious: The Vivaldi v.1.2 conveyed a perfect balance of his piano's percussive and sustained sounds. The ability to distinguish among different textures, and to hear the smallest changes in dynamics and expressive fingering, seemed supreme.

Network Bridge with Vivaldi v.2.02

Can great get greater? I asked myself that as I inserted the Vivaldi

v.2.02 upgrade disc into the Paganini transport and followed the easy directions.

An hour later, I had my answer. The colors of Antonio Lysy's cello on his *At the Broad: Music from Argentina* (CD, Yarlung YAR27517) were even more vividly saturated than through the Vivaldi v.1.2. I felt as if I'd somehow been moved closer to the instrument, and could hear its full sound before its highs and richness were truncated by distance. I was so impressed by the degree of color saturation that, to fully bask in the sound, I turned the lights out.

Returning to file playback through the Network Bridge, I inserted the USB stick that contained a file of Terry Riley's *In C*, performed by the Ragazze Quartet and Slagwerk den Haag (DSD128, Channel Classics 37816/Native DSD). Selecting the Vivaldi v.2.02's new DSD filter, F5, yielded the best sound from DSD I've ever heard. "The three-dimensionality is sensational," I noted. "The dryness of v.1.2 has been replaced by an iridescent clarity to timbres and textures. The transparency is astounding; every clang and bang sounds real."

By the end of *In C*, my friend Béla, sitting next to me, was ecstatic. "One minute I felt I was inside the music; the next minute, I felt the music was inside me!" he exclaimed. "I could feel it vibrating in all my different organs. My entire body is throbbing."

Béla was describing his response to hearing an ultra-hi-rez recording of game-changing minimalist music whose repetitive patterns came to Riley in the early 1960s as he rode a bus, stoned, to a piano gig at the hungry i, a San Francisco nightclub. No chemical enhancement figured into our listening experience, nor was any necessary; the high comes with any well-executed performance of Riley's masterpiece. That Béla was able to relive Riley's high without knowing the story behind *In C* speaks volumes of the communicative power of the Network Bridge/Vivaldi v.2.02 combo.

For vocal music, I chose baritone Matthias Goerne and pianist Markus Hinterhäuser's recording of "Meine Rose," from Schumann's song cycle *Myrthen* (24/96 WAV, Harmonia Mundi HMM 902243/HDtracks). In addition to more detail in the voice and a fuller, richer, more lifelike piano, Goerne's emotional intent was more palpable than through the excellent Rossini. Goerne's voice seemed a portal to the spirit.

Comparison: Software and Sources

After many more tracks had confirmed that the Vivaldi DAC's v.2.02 upgrade and the Network Bridge delivered the most colorful, believable, involving sound I'd ever heard from my system, it was time to investigate playback options. First, I compared the sound of files from USB sticks played through the Bridge using its app to the sound of the same files loaded into my NUC running Roon and controlled by the Roon app. The NUC fed the Network Bridge via a double run of Ethernet cables: NUC to router to Bridge.

Up first was *Hanover Square North*, from a recent recording of Charles Ives's *Second Orchestral Set*, with Ludovic Morlot conducting the Seattle Symphony Orchestra (24/96 WAV, Seattle Symphony Media SSM1015/HDtracks). Highs were less sharp and more softly delineated with Roon, colors a mite muted, and transparency a bit diminished. Using Roon's Search function, however, was a snap, and accessing cover art and other information inaccessible with the Bridge app were bonuses.

Next I compared two different playback methods for the first movement of Franz Schmidt's Symphony 2, in the recording by Semyon Bychkov and the Vienna Philharmonic (24/48 WAV, Sony Classical 88985355522/Primephonic). The first was with an external HD connected, via a Nordost Valhalla 2 USB link, first to the Bridge (Bridge app) and then to the NUC (Roon app). Both sounded beautiful, but the Bridge software again delivered clearer sound, with sharper highs, more saturated colors, and maximal liquidity and transparency. Roon's sound was smoother, with more apparent

² See my review of this recording: www.stereophile.com/content/hi-rez-bach-trios-ma-thile-and-meyer.

³ See my review of this recording: www.stereophile.com/content/music-lou-harrison-centennial.

emphasis of the midrange and bass. This conclusion held even when I changed the Ethernet cables used with the NUC from Wireworld Platinum Starlight to AudioQuest Diamond.

Locating the file using Network Bridge software required time-consuming scrolling through the HD's contents to discover if it was listed under the composer (Schmidt) or the conductor (Bychkov). Had I not previously retitled the parent folder to make identification easy, I'd have been lost. But with Roon, I just typed "Schmidt" into Search, and two choices appeared: my own 24/192 files and Tidal's 16/44.1 stream. Swami Serinus predicts: The more files you've got, the more you'll use Roon.

I then compared sources, USB stick *vs* external HD, for the Network Bridge and Vivaldi v.2.02 by playing soprano Carolyn Sampson's performance of "Sich üben im Lieben," from J.S. Bach's *Wedding Cantata*, BWV 202, with Petra Müllejans conducting the Freiburg Baroque Orchestra (24/96 WAV, Harmonia Mundi 902252/HDtracks). Although a USB stick obviates the need of a USB cable, and would seem the superior source *if* you can remember what's on the stick—a big "if" that frequently found Swami Serinus floundering—Nordost's Valhalla 2 USB link is so excellent that the sources were barely distinguishable.

As to which playback software sounded "better," it remained a case of the Bridge app's ultratransparent liquidity *vs* the Roon app's softer-edged smoothness. Might this have had something to do with the sound of the NUC *vs* a Mac mini or other computer dedicated solely to file playback? I don't know.

Lest you think I ignored DSD, I compared two native DSD64 tracks, from both SACDs and files. Playing the *Traumarsch* from the Fischer/Budapest recording of Mahler's Symphony 5 (SACD/CD/DSD64, Channel Classics 34213), and Antonio Bertali's *Ciaccona* for Violin, Keyboard and Chitarra, from violinist Rachel Podger's *Perla Barocca: Early Italian Masterpieces* (SACD/CD/DSD64, Channel Classics 36014), I felt that the SACD brought out contrasting lines in ways the files did not. SACD also delivered greater depth, and perhaps sounded more neutral. While the sources definitely sounded different, calling one "better" than the other will be a matter of personal preference.

Given that this test involved a discontinued transport, it may not seem relevant to audiophiles who don't use a Vivaldi, Paganini, or other SACD/CD transport. If dCS ever releases a Rossini SACD/CD transport, this comparison will be worth repeating.

Network Bridge with Mytek HiFi Manhattan II DAC

In Michael Lavorgna's review of the Network Bridge for our sister publication AudioStream.com, he paired it with his totaldac d1-six D/A processor rather than the far more expensive Vivaldi DAC. Michael concluded that "the Bridge-endowed system and the music it played sounded more refined. More real. . . [M]usic is presented as if emanating from its source without obstruction. . . Nuance is reproduced music's life blood and dCS gets it. And the Bridge gets this as fully as any other similar-functioning-device I've heard in my system. . . [It] brought out the best my totaldac has to offer."⁴

To repeat Michael's experiment with a non-dCS DAC, I turned to Mytek HiFi's Manhattan II. Mytek's Brooklyn (\$2000) and Manhattan II (\$6000) DACs each sport one AES input and two S/PDIF synchronous inputs. These inputs pass along signals of resolutions only up to 24/192, up to DSD64 via DoP, and MQA. By contrast, each DAC's USB 2 Class 2 input permits playback of up to 32/384 PCM, DSD256, and MQA.

After connecting the AES input of the Manhattan II to one of the Network Bridge's AES outputs, into the Bridge went a USB 3.0 stick containing Michael Tilson Thomas and the San Francisco Symphony's download-only release of Berg's Three Pieces for Orchestra (24/192 WAV, SFS Media/HDtracks). This music is ultra-demanding in its full-range instrumentation and dynamics. While not the cheeriest music, it felt fitting for the quasi-apocalyptic destruction Hurricane Irma was then visiting on the Caribbean and Florida.

After evaluating the sound through the Network Bridge, I copied

the Berg files to my MacBook Pro's SSD and connected the computer to the Manhattan II using the Nordost Valhalla 2 USB link. Using Audirvana Plus app—it was already installed and set up on that computer, which Roon and the latest Amarra playback software were not—the sound was more muffled, less colorful. The loss of detail was anything but subtle. Despite impressive bass, computer playback paled next to the Network Bridge.

By the time you read this, Mytek will have issued an optional Roon-Ready Network Card (\$995) for the Manhattan II. Installed, the card enables an Ethernet connection to a home network, NUC, or other home drive, with remote control via tablet or smartphone. The card also offers streaming from Tidal, Spotify, Apple Music, Internet radio, and other services, and a USB port for direct playback of files from a USB stick or external drive.

In other words, the Manhattan II's new Network Card will give it the same functions provided by the Network Bridge, as well as playback of higher-resolution files than the Network Bridge can pass through a single AES cable. What the card doesn't offer are the noise-isolation and other features that make the dCS Network Bridge unique. Evaluating Mytek's Roon-Ready Network Card, and comparing its sound to the Network Bridge feeding music to the Manhattan II, seems worth a Follow-Up.

Conclusions

I've paired so many different components, and explored so many different ways to use the dCS Network Bridge, that I'm probably ready to launch an audiophile edition of match.com. But so painstaking a methodology was necessary to conclusively establish whether the Network Bridge could optimize the sounds of files and streams played through the dCS Vivaldi and other DACs, and present music in the best possible light.

The answer is incontrovertible. The \$4250 dCS Network Bridge and app comprise an invaluable—I'd say indispensable—asset for owners of a Vivaldi and/or older dCS DAC. And even with DACs from companies other than dCS, the Network Bridge delivered

ASSOCIATED EQUIPMENT

Digital Sources dCS Paganini SACD/CD transport & Rossini DAC & Scarlatti clock; Oppo Digital UDP-205 universal BD player; Intel NUC7i7BNH computer with 8GB RAM, 128GB SSD, running Roon; Apple MacBook Pro computer with Intel i7, SSD, 8GB RAM; Apple iPad Pro; external hard drives, USB sticks.

Power Amplifiers Pass Laboratories XA200.8 monoblocks.

Loudspeakers Wilson Audio Specialties Alexia.

Cables Digital: AudioQuest Diamond (FireWire, Ethernet), Nordost Odin 1 & Odin 2 & Valhalla 2 (USB), Wireworld Platinum Starlight (Ethernet). Interconnect, Speaker, AC: Nordost Odin 2.

Accessories Grand Prix Monaco rack & amp stands, 1.5"-thick Formula platforms; Nordost QB8, QX4, QK1, QV2 AC power accessories; Isotek EVO3 Sigmas power conditioner; AudioQuest NRG Edison outlets; Stein Music Signature Harmonizers, Blue Suns/Diamonds, Speaker Matches, Super Naturals, crystal Quantum Organizer; Synergistic Research Tranquility Base UEFs, Transporter, PowerCell; Bybee Room Neutralizers; Absolare Stabilians; Resolution Acoustics room treatments; Stillpoints Aperture panels. Listening room: 20' L by 16' W by 9' H.

—Jason Victor Serinus

sound that was demonstrably superior to conventional computer-audio playback via USB. As with dCS's major upgrade of the Vivaldi DAC's software to v.2.02: Class A all the way. ■

⁴ See www.audiostream.com/content/dcs-network-bridge.